



ตัวอย่างการติดตั้ง
ชุดใบพัดประหยัดพลังงาน

Energy
Saving
Guarantee

ENCON Energy Efficiency Axial Flow FRP Fan

Rayong Olefins Co.,Ltd.
(Cooling Tower Fan Dia. 11 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation

Rayong Olefins Co.,Ltd.

Cooling Tower : Fans Dia. 11 metres

ENCON Energy Efficiency Axial Flow FRP Fan

Rayong Olefins Co.,Ltd.
(Cooling Tower Fan Dia. 11 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Rayong Olefins Co.,Ltd. (Cooling Tower Fan Dia. 11 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Rayong Olefins Co.,Ltd. (Cooling Tower Fan Dia. 11 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation

Thai MMA Co.,Ltd.

Cooling Tower : Fans Dia. 10 metres

ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd. (Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation

Thai MMA Co.,Ltd.

Cooling Tower : Fans Dia. 10 metres
(2nd Unit)

ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.) – 2nd Unit



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.) – 2nd Unit



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.) – 2nd Unit



ENCON Energy Efficiency Axial Flow FRP Fan

Thai MMA Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.) – 2nd Unit



ENCON Fans Products Installation

Bayer Thai Co.,Ltd.

Cooling Tower : Fans Dia. 9145 mm.

Bayer Thai Co.,Ltd.
(Cooling Tower Fan Dia. 9145 mm.)



Bayer Thai Co.,Ltd.
(Cooling Tower Fan Dia. 9145 mm.)



Bayer Thai Co.,Ltd.
(Cooling Tower Fan Dia. 9145 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bayer Thai Co.,Ltd.
(Cooling Tower Fan Dia. 9145 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bayer Thai Co.,Ltd.
(Cooling Tower Fan Dia. 9145 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bayer Thai Co.,Ltd.
(Cooling Tower Fan Dia. 9145 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation

Siam Mitsui PTA Co.,Ltd.

**Cooling Tower : Fans Dia. 7315 mm.
Plant # 1**

ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Siam Mitsui PTA Co.,Ltd.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Fans Products Installation

TPT Petrochemical PCL.

Cooling Tower : Fans Dia. 7315 mm.


TPT Petrochemical PCL.
(Cooling Tower Fan Dia. 7315 mm.)



TPT Petrochemical PCL.
(Cooling Tower Fan Dia. 7315 mm.)



TPT Petrochemical PCL.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

TPT Petrochemical PCL.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

TPT Petrochemical PCL.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

TPT Petrochemical PCL.
(Cooling Tower Fan Dia. 7315 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation



PTT Chemical PCL.

Cooling Tower : Fans Dia. 24 feet
(Q – 3403A & B)

ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



PTTCH Cooling Tower Fan dia. 24 feet

ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



Existing Fans Removed (6 blades)



ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



Existing Fans Removed (6 blades)

ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



Existing Gear Box with Shaft

ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



New ENCON Hub Lifting



ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



New ENCON Blades Installation & Angle adjustment

ENCON Energy Efficiency Axial Flow FRP Fan

PTT Chemical PCL.
(Cooling Tower Fan Dia. 24 feet)



ENCON Fan Operation

ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation

Grand Siam Composites Co.,Ltd.

Cooling Tower : Fans Dia. 3380 mm.

ENCON Energy Efficiency Axial Flow FRP Fan

Grand Siam Composites Co.,Ltd.
(Cooling Tower Fan Dia. 3380 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Grand Siam Composites Co.,Ltd.
(Cooling Tower Fan Dia. 3380 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Grand Siam Composites Co.,Ltd.
(Cooling Tower Fan Dia. 3380 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Grand Siam Composites Co.,Ltd.
(Cooling Tower Fan Dia. 3380 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Grand Siam Composites Co.,Ltd.
(Cooling Tower Fan Dia. 3380 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Grand Siam Composites Co.,Ltd.
(Cooling Tower Fan Dia. 3380 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Red Bull Distillery (1988) Co.,Ltd.
(Cooling Tower Fan Dia. 2970 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Red Bull Distillery (1988) Co.,Ltd.
(Cooling Tower Fan Dia. 2970 mm.)



Red Bull Distillery (1988) Co.,Ltd. (Cooling Tower Fan Dia. 2970 mm.)



Bridgestone Metalpha Co.,Ltd. (Cooling Tower Fan Dia. 2000 mm.)



ENCON Fans Products Installation

Bridgestone Metalpha Co.,Ltd.

Cooling Tower :
Fans Dia. 2000 mm.

Bridgestone Metalpha Co.,Ltd. (Cooling Tower Fan Dia. 2000 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bridgestone Metalpha Co.,Ltd.

(Cooling Tower Fan Dia. 2000 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bridgestone Metalpha Co.,Ltd.

(Cooling Tower Fan Dia. 2000 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bridgestone Metalpha Co.,Ltd.

(Cooling Tower Fan Dia. 2000 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Bridgestone Metalpha Co.,Ltd.

(Cooling Tower Fan Dia. 2000 mm.)



ENCON Fans Products Installation

Kawasumi Laboratories Co.,Ltd.
(Cooling Tower Fan Dia. 1470 mm.)

Kawasumi Laboratories Co.,Ltd.



**Cooling Tower :
Fans Dia. 1470 mm.**



Kawasumi Laboratories Co.,Ltd.
(Cooling Tower Fan Dia. 1470 mm.)

Kawasumi Laboratories Co.,Ltd.
(Cooling Tower Fan Dia. 1470 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Kawasumi Laboratories Co.,Ltd.
(Cooling Tower Fan Dia. 1470 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Kawasumi Laboratories Co.,Ltd.
(Cooling Tower Fan Dia. 1470 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Kawasumi Laboratories Co.,Ltd.
(Cooling Tower Fan Dia. 1470 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

ENCON Fans Products Installation

Kulthorn Kirby Co.,Ltd.

Cooling Tower : Fans Dia. 2390 mm

ENCON Energy Efficiency Axial Flow FRP Fan

Kulthorn Kirby Co.,Ltd.
(Cooling Tower Fan Dia. 2390 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Kulthorn Kirby Co.,Ltd.
(Cooling Tower Fan Dia. 2390 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Kulthorn Kirby Co.,Ltd.
(Cooling Tower Fan Dia. 2390 mm.)



ENCON Energy Efficiency Axial Flow FRP Fan

Kulthorn Kirby Co.,Ltd.
(Cooling Tower Fan Dia. 2390 mm.)



Kulthorn Kirby Co.,Ltd.
(Cooling Tower Fan Dia. 2390 mm.)



Samutprakarn Cogeneration Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Fans Products Installation

***Samutprakarn
Cogeneration Co.,Ltd.***

Cooling Tower : Fans Dia. 10 metres

Samutprakarn Cogeneration Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Samutprakarn Cogeneration Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Samutprakarn Cogeneration Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Samutprakarn Cogeneration Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Energy Efficiency Axial Flow FRP Fan

Samutprakarn Cogeneration Co.,Ltd.
(Cooling Tower Fan Dia. 10 m.)



ENCON Fans Products Installation

Sews – Components (Thailand) Ltd.

Cooling Tower : Fans Dia. 1750 mm.

Sews – Components (Thailand) Ltd. (Cooling Tower Fan Dia. 1750 mm.)



Sews – Components (Thailand) Ltd. (Cooling Tower Fan Dia. 1750 mm.)



Sews – Components (Thailand) Ltd. (Cooling Tower Fan Dia. 1750 mm.)



Sews – Components (Thailand) Ltd.
(Cooling Tower Fan Dia. 1750 mm.)



**Procter & Gamble
Manufacturing (Thailand) Ltd.**
(Cooling Tower Fan Dia. 2000 mm.)



P & G Cooling Tower Fan dia. 2000 mm.

ENCON Fans Products Installation

**P&G
Procter & Gamble
Manufacturing (Thailand) Ltd.**

Cooling Tower : Fans Dia. 2000 mm.

**Procter & Gamble
Manufacturing (Thailand) Ltd.**
(Cooling Tower Fan Dia. 2000 mm.)



Existing Aluminium Fans & Hub Removed (4 blades)

ENCON Energy Efficiency Axial Flow FRP Fan

**Procter & Gamble
Manufacturing (Thailand) Ltd.**
(Cooling Tower Fan Dia. 2000 mm.)



Existing Aluminium Fans & Hub

ENCON Energy Efficiency Axial Flow FRP Fan

**Procter & Gamble
Manufacturing (Thailand) Ltd.**
(Cooling Tower Fan Dia. 2000 mm.)



New ENCON Blades Angle Adjustment

ENCON Energy Efficiency Axial Flow FRP Fan


**Procter & Gamble
Manufacturing (Thailand) Ltd.**
(Cooling Tower Fan Dia. 2000 mm.)



ENCON Fans & Hub

ENCON Energy Efficiency Axial Flow FRP Fan

**Procter & Gamble
Manufacturing (Thailand) Ltd.**
(Cooling Tower Fan Dia. 2000 mm.)



ENCON Fans Installation Completed